ELSEVIER

Nuclear Engineering and Design 147 (1994) 471–473

Nuclear Engineering and Design

Author Index to Volume 147

Abe, K., see Ebisawa, K. 147 (1994) 197
Abou-rjeily, Y. and G. Barois, Numerical prediction of stratified pipe flows in PWRs 147 (1993) 47
Adamov, E.O., I.I. Grozdov, S.P. Kuznetsov, A.A. Petrov, M.I. Rozhdestvensky and Yu.M. Cherkashov, Perspective channel-type reactor with enhanced safety 147 (1993) 23
Aisch, F.-W., H.-P. Fuchs and H. Lettau, FOCUS-type fuel assembly for PWRs 147 (1993) 105
Ang, A.H.-S., see Pires, J.A. 147 (1994) 157
Aziz, T., see Saudy, A. 147 (1994) 235
Aziz, T., see Saudy, A. 147 (1994) 251

Barnert, H., see Drecker, S. 147 (1993) 39
Barnert, H., see Klein, U. 147 (1993) 29
Barois, G., see Abou-rjeily, Y. 147 (1993) 47
Bassanelli, A., see Cavicchia, V. 147 (1994) 385
Blahnik, D.E., see Brown, D.P. 147 (1994) 351
Böhmert, J., M. Dietrich and J. Linek, Comparative studies on high-temperature corrosion of ZrNb1 and Zircaloy-4 147 (1993) 53
Brogli, R., H. Moldasch and I. Rummel, Results of the verification period 1985–1990 of the German–Swiss high converting reactor PWR-C1 147 (1993) 1
Brown, D.P., D.E. Blahnik and J.J. Burns, Jr., Snubber aging assessment 147 (1994) 351
Burns, Jr., J.J., see Brown, D.P. 147 (1994) 351

Cavicchia, V., A. Bassanelli, E. Traini, S.D. Kopelic, N.J. Liparulo and D.R. Sharp, Insights from the AP600 probabilistic safety study 147 (1994) 385
Cherkashov, Yu.M., see Adamov, E.O. 147 (1993) 23
Cizelj, L., B. Mavko and H. Riesch-Oppermann, Application of first and second order reliability methods in the safety assessment of cracked steam generator tubing 147 (1994) 359

Dietrich, M., see Böhmert, J. 147 (1993) 53
Drecker, S., J. Singh and H. Barnert, Temperature equalization phenomenon in a high temperature reactor core with central column 147 (1993) 39
Duwe, R., W. Kühnlein and R. Schröder, Measurements to distinguish fuel elements with and without thorium content by gammaspectrometry in hot cells 147 (1993) 101

Ebisawa, K., K. Abe, K. Muramatsu, M. Itoh, K. Kohno and T. Tanaka, Evaluation of response factors for seismic probabilistic safety assessment of nuclear power plants 147 (1994) 197
Enge, R., see Filss, P. 147 (1993) 111
Engelmann, H.-J., M. Khamis and J. Lempert, Calculation of neutron dose rates including backscattering of a POLLUX cask in drifts of a repository mine 147 (1993) 119

Filss, P. and R. Enge, Detection of alpha emitters in solidified radioactive waste 147 (1993) 111
Förch, H., T. Oliver and W. Hertle, Chemical cleaning of PWR steam generators with a low temperature process 147 (1993) 115
Fuchs, H.-P., see Aisch, F.-W. 147 (1993) 105

Gallmeier, F. and E. Steichele, Neutron flux and reactivity calculations for an optimized arrangement of experimental facilities in a research reactor 147 (1994) 437
Ghobarah, A., see Saudy, A. 147 (1994) 235
Ghobarah, A., see Saudy, A. 147 (1994) 251
Govindarajan, G., see Taliyan, S.S. 147 (1994) 311
Grebner, H., H. Hunger and A. Höfler, Experiments and calculations on crack opening and leak rate of a pipe branch within the HDR-Program 147 (1993) 79
Greene, R.H., BWR control rod drive system aging 147 (1994) 321
Griffith, P., see Liang, K.-S. 147 (1994) 425
Grover, R.B., see Taliyan, S.S. 147 (1994) 311
Grozdov, I.I., see Adamov, E.O. 147 (1993) 23
Gupta, A., see Majumdar, P. 147 (1994) 287

Hertle, W., see Förch, H. 147 (1993) 115
Hirata, K. and T. Somaki, Fragility estimation of an isolated FBR structure considering the ultimate state of rubber bearings 147 (1994) 183

Höfler, A., see Grebner, H. 147 (1993) 79
Hofstötter, P., Inservice measurements on piping systems and components in nuclear power plants 147 (1994) 369
Hohn, H., see Klein, U. 147 (1993) 29
Hunger, H., see Grebner, H. 147 (1993) 79

Im, I.Y., see Lee, K.B. 147 (1994) 275
Itoh, M., see Ebisawa, K. 147 (1994) 197

Jin, W.-L. and E. Luz, Improving importance sampling method in structural reliability 147 (1994) 393

Kai, Y., see Mizutani, M. 147 (1994) 211
Katayama, I., see Pires, J.A. 147 (1994) 157
Khamis, M., see Engelmann, H.-J. 147 (1993) 119
Klein, U., J. Singh, H. Barnert and H. Hohn, After heat removal by a closed secondary cooler circuit on the example of the advanced high temperature reactor AHTR 500 with central graphite column 147 (1993) 29
Kohno, K., see Ebisawa, K. 147 (1994) 197
Kopelic, S.D., see Cavicchia, V. 147 (1994) 385
Kouhia, J., see Lomperski, S.W. 147 (1994) 409
Kühnlein, W., see Duwe, R. 147 (1993) 101
Kuznetsov, S.P., see Adamov, E.O. 147 (1993) 23

Lee, K.B. and I.Y. Im, An analytical study on the pump-induced acoustic pressure in a pressurized water reactor 147 (1994) 275
Lempert, J., see Engelmann, H.-J. 147 (1993) 119
Lettau, H., see Aisch, F.-W. 147 (1993) 105
Li, W.Q. and C.S. Tsai, Seismic mitigation of structures by using viscoelastic dampers 147 (1994) 263
Liang, K.-S. and P. Griffith, Experimental and analytical study of direct contact condensation of steam in water 147 (1994) 425
Linek, J., see Böhmert, J. 147 (1993) 53
Liparulo, N.J., see Cavicchia, V. 147 (1994) 385
Lofaro, R.J., Detecting and mitigating aging in component cooling water systems 147 (1994) 375
Lomperski, S.W. and J. Kouhia, Natural circulation experiments with a VVER reactor geometry 147 (1994) 409
Luz, E., see Jin, W.-L. 147 (1994) 393

Majumdar, P., A. Gupta and A. Marchertas, Stress analysis of heated concrete using finite elements 147 (1994) 287
Marchertas, A., see Majumdar, P. 147 (1994) 287
Matsubara, M., see Mizutani, M. 147 (1994) 211
Mavko, B., see Cizelj, L. 147 (1994) 359
Mertens, P.G., A new algebraic white-noise modal combination rule – GAC(A) 147 (1994) 299
Minges, J. and W. Schütz, Experiments on the enrichment of cesium in the cover gas aerosol of the European Fast Reactor EFR 147 (1993) 17
Mizutani, M., M. Takeda, Y. Kai and M. Matsubara, A study on the applicability of the response estimation of a PRA procedure 147 (1994) 211
Mo, Y.L., A small bore piping design expert system 147 (1994) 447
Mochio, T., A proposal for safety factor estimation in seismic PSA of structure by stochastic FEM technique 147 (1994) 129
Moldasch, H., see Brogli, R. 147 (1993) 1
Muramatsu, K., see Ebisawa, K. 147 (1994) 197

Nekomoto, Y., see Tanaka, T. 147 (1994) 455

Oliver, T., see Förch, H. 147 (1993) 115

Petrov, A.A., see Adamov, E.O. 147 (1993) 23
Pfrang, W., see Royl, P. 147 (1993) 85
Pires, J.A., A.H.-S. Ang and I. Katayama, Probabilistic evaluation of lateral extent of soil liquefaction under earthquake loading 147 (1994) 157
Pires, J.A., Statistics of cumulative damage parameters based on hysteretic energy dissipated 147 (1994) 141

Riesch-Oppermann, H., see Cizelj, L. 147 (1994) 359
Rothfuss, H., D. Stausebach and M. Ullrich, Metallic core internals of the modular HTR 147 (1993) 93
Roy, D.P., see Taliyan, S.S. 147 (1994) 311
Royl, P., W. Pfrang and D. Struwe, Reactivity feedback evaluation of material relocations in the Cabri-1 experiments with fuel worth distributions from SNR-300 147 (1993) 85
Rozhdestvensky, M.I., see Adamov, E.O. 147 (1993) 23
Rummel, I., see Brogli, R. 147 (1993) 1

Saudy, A., T. Aziz and A. Ghobarah, A new stochastic analysis for multiple supported MDOF secondary systems: I. Dynamic interaction effects 147 (1994) 235
Saudy, A., T. Aziz and A. Ghobarah, A new stochastic analysis for multiple supported MDOF secondary systems: II. Tuning and spatial coupling effects 147 (1994) 251
Schirra, M., Creep rupture strength and creep tests on the EFR structural material 316L(N), DIN 1.4909 147 (1993) 63
Schröder, R., see Duwe, R. 147 (1993) 101
Schütz, W., see Minges, J. 147 (1993) 17
Seshadri, B.S. and R. Venkatesan, Streamed spectra of fast neutrons through airducts in concrete 147 (1994) 403
Sharp, D.R., see Cavicchia, V. 147 (1994) 385

Singh, J., see Drecker, S. 147 (1993) 39
Singh, J., see Klein, U. 147 (1993) 29
Singh, M., see Taliyan, S.S. 147 (1994) 311
Smith, E., A comparison of the use of the modified *J*-integral and the deformation *J*-integral in procedures for estimating the critical crack length for CANDU pressure tubes 147 (1994) 337
Somaki, T., see Hirata, K. 147 (1994) 183
Stausebach, D., see Rothfuss, H. 147 (1993) 93
Steichele, E., see Gallmeier, F. 147 (1994) 437
Struwe, D., see Royl, P. 147 (1993) 85
Suzuki, S., see Tanaka, T. 147 (1994) 455

Takeda, M., see Mizutani, M. 147 (1994) 211
Taliyan, S.S., D.P. Roy, R.B. Grover, M. Singh and G. Govindarajan, Dynamics of shut-off rod drop in a PHWR 147 (1994) 311
Tanaka, H., see Tsurui, A. 147 (1994) 171
Tanaka, M., see Tanaka, T. 147 (1994) 455
Tanaka, T., S. Suzuki, Y. Nekomoto and M. Tanaka, The development of a diagnostic and monitoring system for vibrating pipe branches 147 (1994) 455
Tanaka, T., see Ebisawa, K. 147 (1994) 197
Tanaka, T., see Tsurui, A. 147 (1994) 171
Traini, E., see Cavicchia, V. 147 (1994) 385
Tsai, C.S., see Li, W.Q. 147 (1994) 263
Tsurui, A., H. Tanaka and T. Tanaka, An analytical method for leak before break assessment based upon stochastic fracture mechanics 147 (1994) 171

Ullrich, M., see Rothfuss, H. 147 (1993) 93

Venkatesan, R., see Seshadri, B.S. 147 (1994) 403

ELSEVIER

Nuclear Engineering and Design 147 (1994) 475–477

Nuclear Engineering and Design

Subject Index to Volume 147

Thermal and fluid design

After heat removal by a closed secondary cooler circuit on the example of the advanced high temperature reactor AHTR 500 with central graphite column, U. Klein, J. Singh, H. Barnert and H. Hohn 147 (1993) 29
Numerical prediction of stratified pipe flows in PWRs, Y. Abou-rjeily and G. Barois 147 (1993) 47
Natural circulation experiments with a VVER reactor geometry, S.W. Lomperski and J. Kouhia 147 (1994) 409
Experimental and analytical study of direct contact condensation of steam in water, K.-S. Liang and P. Griffith 147 (1994) 425

Heat conduction and transfer

Temperature equalization phenomenon in a high temperature reactor core with central column, S. Drecker, J. Singh and H. Barnert 147 (1993) 39

Engineering mechanics

Experiments and calculations on crack opening and leak rate of a pipe branch within the HDR-Program, H. Grebner, H. Hunger and A. Höfler 147 (1993) 79
An analytical method for leak before break assessment based upon stochastic fracture mechanics, A. Tsurui, H. Tanaka and T. Tanaka 147 (1994) 171
A new stochastic analysis for multiple supported MDOF secondary systems: I. Dynamic interaction effects, A. Saudy, T. Aziz and A. Ghobarah 147 (1994) 235
A new stochastic analysis for multiple supported MDOF secondary systems: II. Tuning and spatial coupling effects, A. Saudy, T. Aziz and A. Ghobarah 147 (1994) 251
Seismic mitigation of structures by using viscoelastic dampers, W.Q. Li and C.S. Tsai 147 (1994) 263
An analytical study on the pump-induced acoustic pressure in a pressurized water reactor, K.B. Lee and I.Y. Im 147 (1994) 275
Stress analysis of heated concrete using finite elements, P. Majumdar, A. Gupta and A. Marchertas 147 (1994) 287
A new algebraic white-noise modal combination rule – GAC(A), P.G. Mertens 147 (1994) 299
Dynamics of shut-off rod drop in a PHWR, S.S. Taliyan, D.P. Roy, R.B. Grover, M. Singh and G. Govindarajan 147 (1994) 311

Materials properties

Creep rupture strength and creep tests on the EFR structural material 316L(N), DIN 1.4909, M. Schirra 147 (1993) 63
Experiments and calculations on crack opening and leak rate of a pipe branch within the HDR-Program, H. Grebner, H. Hunger and A. Höfler 147 (1993) 79
BWR control rod drive system aging, R.H. Greene 147 (1994) 321
A comparison of the use of the modified *J*-integral and the deformation *J*-integral in procedures for estimating the critical crack length for CANDU pressure tubes, E. Smith 147 (1994) 337
Snubber aging assessment, D.P. Brown, D.E. Blahnik and J.J. Burns, Jr. 147 (1994) 351
Detecting and mitigating aging in component cooling water systems, R.J. Lofaro 147 (1994) 375

Mechanical design, component fabrication and testing

Results of the verification period 1985–1990 of the German–Swiss high converting reactor PWR-C1, R. Brogli, H. Moldasch and I. Rummel 147 (1993) 1
Snubber aging assessment, D.P. Brown, D.E. Blahnik and J.J. Burns, Jr. 147 (1994) 351
Application of first and second order reliability methods in the safety assessment of cracked steam generator tubing, L. Cizelj, B. Mavko and H. Riesch-Oppermann 147 (1994) 359

Inservice measurements on piping systems and components in nuclear power plants, P. Hofstötter 147 (1994) 369
A small bore piping design expert system, Y.L. Mo 147 (1994) 447
The development of a diagnostic and monitoring system for vibrating pipe branches, T. Tanaka, S. Suzuki, Y. Nekomoto and M. Tanaka 147 (1994) 455

Reactor concepts and systems analysis

Results of the verification period 1985–1990 of the German–Swiss high converting reactor PWR-C1, R. Brogli, H. Moldasch and I. Rummel 147 (1993) 1
Experiments on the enrichment of cesium in the cover gas aerosol of the European Fast Reactor EFR, J. Minges and W. Schütz 147 (1993) 17
Perspective channel-type reactor with enhanced safety, E.O. Adamov, I.I. Grozdov, S.P. Kuznetsov, A.A. Petrov, M.I. Rozhdestvensky and Yu.M. Cherkashov 147 (1993) 23
After heat removal by a closed secondary cooler circuit on the example of the advanced high temperature reactor AHTR 500 with central graphite column, U. Klein, J. Singh, H. Barnert and H. Hohn 147 (1993) 29
Temperature equalization phenomenon in a high temperature reactor core with central column, S. Drecker, J. Singh and H. Barnert 147 (1993) 39
Comparative studies on high-temperature corrosion of ZrNb1 and Zircaloy-4, J. Böhmert, M. Dietrich and J. Linek 147 (1993) 53
Reactivity feedback evaluation of material relocations in the Cabri-1 experiments with fuel worth distributions from SNR-300, P. Royl, W. Pfrang and D. Struwe 147 (1993) 85
Metallic core internals of the modular HTR, H. Rothfuss, D. Stausebach and M. Ullrich 147 (1993) 93
A proposal for safety factor estimation in seismic PSA of structure by stochastic FEM technique, T. Mochio 147 (1994) 129
Statistics of cumulative damage parameters based on hysteretic energy dissipated, J.A. Pires 147 (1994) 141
Probabilistic evaluation of lateral extent of soil liquefaction under earthquake loading, J.A. Pires, A.H.-S. Ang and I. Katayama 147 (1994) 157
An analytical method for leak before break assessment based upon stochastic fracture mechanics, A. Tsurui, H. Tanaka and T. Tanaka 147 (1994) 171
Fragility estimation of an isolated FBR structure considering the ultimate state of rubber bearings, K. Hirata and T. Somaki 147 (1994) 183
Evaluation of response factors for seismic probabilistic safety assessment of nuclear power plants, K. Ebisawa, K. Abe, K. Muramatsu, M. Itoh, K. Kohno and T. Tanaka 147 (1994) 197
A study on the applicability of the response estimation of a PRA procedure, M. Mizutani, M. Takeda, Y. Kai and M. Matsubara 147 (1994) 211
Detecting and mitigating aging in component cooling water systems, R.J. Lofaro 147 (1994) 375
Insights from the AP600 probabilistic safety study, V. Cavicchia, A. Bassanelli, E. Traini, S.D. Kopelic, N.J. Liparulo and D.R. Sharp 147 (1994) 385

Structural design, construction methods and testing

A proposal for safety factor estimation in seismic PSA of structure by stochastic FEM technique, T. Mochio 147 (1994) 129
A study on the applicability of the response estimation of a PRA procedure, M. Mizutani, M. Takeda, Y. Kai and M. Matsubara 147 (1994) 211
Improving importance sampling method in structural reliability, W.-L. Jin and E. Luz 147 (1994) 393
Streamed spectra of fast neutrons through airducts in concrete, B.S. Seshadri and R. Venkatesan 147 (1994) 403

Radiation shielding

Calculation of neutron dose rates including backscattering of a POLLUX cask in drifts of a repository mine, H.-J. Engelmann, M. Khamis and J. Lempert 147 (1993) 119

Isotope engineering

Experiments on the enrichment of cesium in the cover gas aerosol of the European Fast Reactor EFR, J. Minges and W. Schütz 147 (1993) 17

Nuclear waste management and disposal

Detection of alpha emitters in solidified radioactive waste, P. Filss and R. Enge 147 (1993) 111
Chemical cleaning of PWR steam generators with a low temperature process, H. Förch, T. Oliver and W. Hertle 147 (1993) 115

Calculation of neutron dose rates including backscattering of a POLLUX cask in drifts of a repository mine, H.-J. Engelmann, M. Khamis and J. Lempert 147 (1993) 119

Core physics and fuel design

Metallic core internals of the modular HTR, H. Rothfuss, D. Stausebach and M. Ullrich 147 (1993) 93
Measurements to distinguish fuel elements with and without thorium content by gammaspectrometry in hot cells, R. Duwe, W. Kühnlein and R. Schröder 147 (1993) 101
FOCUS-type fuel assembly for PWRs, F.-W. Aisch, H.-P. Fuchs and H. Lettau 147 (1993) 105
Neutron flux and reactivity calculations for an optimized arrangement of experimental facilities in a research reactor, F. Gallmeier and E. Steichele 147 (1994) 437

Nuclear safety

Reactivity feedback evaluation of material relocations in the Cabri-1 experiments with fuel worth distributions from SNR-300, P. Royl, W. Pfrang and D. Struwe 147 (1993) 85
Experimental and analytical study of direct contact condensation of steam in water, K.-S. Liang and P. Griffith 147 (1994) 425